

TECHNICAL CHARACTERISTICS

Towards new horizons

2023
COLLECTION EN



Alba***

Artica*****

Allegra*****

Special series
TITANIUM



LAYOUTS



BUNK BEDS

ALBA 426 FAMILY ★★★

6,20 x 2,30 m



5

ALBA 466 FAMILY ★★★

6,40 x 2,30 m



6

ALBA 496 FAMILY ★★★

6,70 x 2,30 m



6

ARTICA 496 FAMILY ★★★★★

6,95 x 2,30 m



6



ISLAND BED

ARTICA 490 ★★★★★

6,75 x 2,30 m



4

ARTICA 540 ★★★★★

7,35 x 2,30 m



4



TWIN BED

ALBA 472 ★★★


6,40 x 2,10 m



4

ARTICA 492 ★★★★★

6,75 x 2,30 m



4



TRANSVERSE BED

ALBA 350 ★★★

5,20 x 2,10 m



2

ALBA 390 ★★★

5,70 x 2,10 m



4



FRENCH BED

ARTICA 520 ★★★★★


6,95 x 2,30 m



4

TITANIUM

Special series



ALBA 486 FAMILY ★★★

6,70 x 2,30 m

6

ARTICA 586 FAMILY ★★★★★

7,55 x 2,30 m

6

ALLEGRA 560 ★★★★★

7,80 x 2,30 m

4

ARTICA 542 ★★★★★

7,35 x 2,30 m

4

ALLEGRA 562 ★★★★★

7,80 x 2,30 m

4

ALBA 400 ★★★

5,90 x 2,10 m

4

ALBA 430 ★★★

6,20 x 2,30 m

4

TITANIUM 450 6,40 x 2,30 m 4	TITANIUM 455 6,40 x 2,30 m 4	TITANIUM 470 6,70 x 2,30 m 4
--	--	--

DECORS EXTERIOR AND INTERIOR

Alba ★★★

*As light
as the price!*

pages 6-7

Side walls



Front part



Rear part



Cupboards doors




FABRIC



Ottawa



Napoli



Sidney

Artica ★★★

*All-inclusive
holidays*

pages 8-9

Side walls



Taupe Grey polyester GRP sides

Front part



Rear part



Cupboards doors



FABRIC



Berlin



London



Paris (option)



TRUMA COMBI 6E

This combines the heating and water heater functions in a single appliance.

The Truma Combi 6E is a powerful warm air heater (6000 W) with integrated hot water generator. It allows the heating to be run in gas mode, electricity mode, or combi mode. For use when stationary at the campsite, you can run the Combi heating with the 12 V transformer without using the onboard power supply.



Allegra★★★★★

The very best

page 10

Side walls



White polyester GRP sides

Front part



Rear part



Cupboards doors



FABRIC



Canberra

Special series

TITANIUM

page 11

Side walls



Grey Polyester

Front part



Rear part



Cupboards doors



FABRIC



Austin



TRUMA I-NET X

Control the heating and air conditioning from the application on your smartphone.

The Truma i-Net X is a central control unit that networks the Truma appliances in the caravan. The i-Net X can be used to control the Truma Combi heating and/or air conditioning remotely with a smartphone or tablet, wherever the user is, and can also check the gas level.



		350	390	400	426 Family	430
STYLE FINISH		-	0	0	0	S
WEIGHTS (m) & DIMENSIONS (kg)	(kg)					
Berths		2	4	4	6	4
Overall length		5,2	5,7	5,9	6,2	6,2
External body length		4,1	4,6	4,8	5,1	5,1
Internal length		3,5	4	4,2	4,5	4,5
Overall height / Internal height		2,58 / 1,95	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95
Overall width		2,1	2,1	2,1	2,3	2,3
Internal width		1,95	1,95	1,95	2,15	2,15
Empty weight		730	760	805	920	1000*
Mass in running order +/-5%		757	787 / 840*	832 / 882*	947 / 1014*	1029*
Max authorized weight		1000	1000 / 1100*	1000 / 1100*	1100/1200*	1200
Administrative payload modification		850-1300	950-1300	950-1300	1150-1300	1300
Awning length +/-5%		8,24	8,74	8,94	9,24	9,24
Spare wheel dimensions		185/70 R14	185/70 R14	185/70 R14	175R14C	175R14C
CHASSIS						
Stabiliser coupling AKS 3004	3	P1	P1+P3	P1+P3	P1+P3	S
Shock-absorbers	3	P1	P1+P3	P1+P3	P1+P3	S
Heavy duty corner steadies (x4)		0	0	0	0	0
Steel spare wheel (front trunk)	16	0	0	0	0	0
Spare-wheel fixation (front trunk)	2	P1	P1+P3	P1+P3	P1+P3	S
Aluminum wheels	16	0	0	0	0	0
Polyester side walls		-	P3	P3	P3	S
Bicycle storage (cm)		-	-	-	S (105x65)	-
Luggage door (100x40cm)	2	-	P3	P3	P3	S
Double-paned opening window		3	4	3	5	4
Air-conditioning	30	0	0	0	0	0
EQUIPMENT						
Mosquito-net entrance door	3	0	0	0	0	0
Skylight (70x50cm)	2	0	0/P3	0/P3	0/P3	S
Cushions "Sidney"		-	P3	P3	P3	S
HEATER						
Boiler Truma Therme 5L (230V)	4	P2	P2+P3	P2+P3	P2+P3	S
Blown air (12V)	4	0	0	0	0	0
Auxiliary heater ULTRAHEAT (230V)	4	0	0	0	0	0
Electrical floor heating	5	0	0	0	0	0
KITCHEN						
Three-way Fridge 85L (12V/230V/GAS)		S	S	S	S	-
Compressor Fridge XL FREEZE 150L	15	-	-	-	S*	S
Fresh water tank 50L (Fixed)	3	P1	P1+P3	P1+P3	P1+P3	S
Waste water tank 30L (Wheeled)	3	P1	P1+P3	P1+P3	P1+P3	S
BATHROOM						
Flexible handshower	2	P2	P2+P3	P2+P3	P2+P3	S
Shower curtain	2	P2	P2+P3	P2+P3	P2+P3	S
Shower column		-	P2+P3	-	-	-
Electric cassette toilet		S	S	S	S (Manual)	S
BEDROOM						
Dimensions front bed (cm)		140x195 or 195/205x195	140x195	140x195	140X210	150x210
Dimensions centre bed (cm)		55x65x190	-	100x170	110/95x170	-
Dimensions rear bed (cm)		-	125/90x190	-	(77/60x210) x 2	145/120 x190
Matresses 15cm thick		-	P3	P3	P3	S
ELECTRICAL INSTALLATION						
Pre equipment Leisure battery	2	0	0	0	0/S*	S
Sockets 230V		3	3	3	3	3



466 Family	472	486 Family	496 Family
0	S	0	0
6	4	6	6
6,4	6,4	6,7	6,7
5,3	5,3	5,6	5,6
4,7	4,7	5	5
2,58 / 1,95	2,58 / 1,95	2,58 / 1,95	2,58 / 1,95
2,3	2,1	2,3	2,3
2,15	1,95	2,15	2,15
970	925	1019	1019
1001 / 1068*	956*	1052 / 1102*	1052 / 1102*
1200	1200	1300	1300
1150-1300	1100-1300	1200-1500	1200-1500
9,44	9,44	9,74	9,74
175R14C	175R14C	175R14C	175R14C
P1+P3	S	P1+P3	P1+P3
P1+P3	S	P1+P3	P1+P3
0	0	0	0
0	0	0	0
P1+P3	S	P1+P3	P1+P3
0	0	0	0
P3	S	P3	P3
S (105x65)	-	S (105x65)	S (105x105)
P3	S	P3	P3
5	5	5	6
0	0	0	0
0	0	0	0
0/P3	S	0/P3	0/P3
P3	S	P3	P3
P2+P3	S	P2+P3	P2+P3
S	S	S	S
0	0	0	0
0	0	0	0
S	S	-	-
S*	-	S	S
P1+P3	S	P1+P3	P1+P3
P1+P3	S	P1+P3	P1+P3
P2+P3	S	P2+P3	P2+P3
P2+P3	S	P2+P3	P2+P3
-	S	-	P2+P3
S (Manual)	S	S	S
140x210	70/95x195/205 or 195/205x195	140x210	140x210
110x170	-	100 x 170	100x170
(75x210) x2	125/90x190	(75x210)x2	(85x185)x2
P3	S	P3	P3
0/S*	0	0	0
3	3	3	3

STANDARD

CHASSIS

- Longer corner steadies
- Wheel trims
- Exclusive IRP Technology
- Aluminum side walls
- Front window (Except for 472)
- Awning light
- Bike stand preparation rear

EQUIPMENT

- Combined blinds & fly nets

HEATER

- Heater TRUMA 3004 (GAS)

KITCHEN

- Combined 3-burner stove and stainless steel sink with glass cover
- Fresh water tank 25L (Removable)

BATHROOM

- Shower tray

BEDROOM

- Liftable slatted bed base
- Matresses 12cm thick

ELECTRICAL INSTALLATION

- Transformer/charger module 230V/12V including ground fault circuit breaker
- Light dimmer
- Pre equipment Air-conditioning
- Pre equipment TV: SAT and 230V sockets
- LED interior lighting

OPTIONAL

PACK TRAVEL LUXE (14 KG) /P1

- Shock-absorbers
- Stabiliser coupling AKS 3004
- Luggage door (75x30cm)
- Spare-wheel fixation (front trunk)
- Fresh water tank 50L (Fixed)
- Waste water tank 30L (Wheeled)

ALBA SHOWER PACK (8 KG) /P2

- Boiler Truma Therme 5L (230V)
- Flexible handshower
- Shower curtain
- Shower column + Flexible handshower (depending on model)

STYLE FINISH (50 KG) /P3

- Polyester side walls
- Stabiliser coupling AKS 3004
- Shock-absorbers
- Luggage door (100x40cm)
- Skylight (70x50cm)
- Boiler Truma Therme 5L (230V)
- Waste water tank 30L (Wheeled)
- Fresh water tank 50L (Fixed)
- Shower curtain
- Flexible handshower
- Entrance door accessories
- Cushions «Sidney»
- Matresses 15cm thick
- Bi-color cupboards doors
- Backlit under cupboard storage
- LED lights x4
- Spare-wheel fixation (front trunk)

“S”: Standard , “O”: Optional, “-”: Not available, “P”: Pack
* With Pack Style



		490	492	496 Family
WEIGHTS (m) & DIMENSIONS (kg)				
Berths	(kg)	4	4	6
Overall length		6,75	6,75	6,95
External body length		5,6	5,6	5,8
Internal length		5	5	5,2
Overall height / Internal height		2,58/1,95	2,58/1,95	2,58/1,95
Overall width		2,3	2,3	2,3
Internal width		2,15	2,15	2,15
Empty weight		1125	1185	1205
Mass in running order +/-5%		1142	1202	1222
Max authorized weight		1500	1500	1500
Administrative payload modification		1550-1800	1550-1800	1550-1800
Awning length +/-5%		9,74	9,74	9,94
Spare wheel dimensions		175R14C	175R14C	175R14C
CHASSIS				
Anti-snaking system ATC (factory fitted)	5	0	0	0
Steel spare wheel (front trunk)	16	0/P2	0/P2	0/P2
Aluminum spare wheel (under-floor)	16	P2	P2	P2
Spare-wheel fixation (under-floor)	2	P2	P2	P2
Aluminum wheels	16	0/P2	0/P2	0/P2
Drawbar cover	2	P2	P2	P2
XL Entrance door (61 cm)		-	-	-
Bicycle storage (cm)		-	-	S (105x105)
Luggage door (75x30 cm)	2	P2	P2	-
Double-paned opening window		7	8	7
Front window	3	S	S	S
Exterior TV socket on the awning side (12V/230V)	1	P2	P2	P2
Exterior Gas socket	1	P2	P2	P2
Exterior handshower socket	1	P2	P2	P2
Exterior city water socket	1	P2	P2	P2
Electric doorstep	7	P2	P2	P2
Air-conditioning	30	0/P1	0/P1	0/P1
EQUIPMENT				
Skylight (90x60 cm)	2	P2	P2	-
Skyview		-	-	-
Smoke detector		P2	P2	P2
Cushions "Paris"		0	0	0
Kit Comfort (2 Headrests, 2 Lumbar supports, 2 Decorative cushions)	5	0/P2	0/P2	0/P2
Carpet	7	0	0	0
HEATER				
Boiler Truma Therme 5L (230V)	4	S	S	-
Boiler Truma Therme 14L (230V)		-	-	S
Boiler Truma Therme 10L (230V/GAS)	11	-	-	0
Heater TRUMA 3004 (GAS)	10	S	S	S
Heater / Boiler TRUMA COMBI 4 (GAS)		-	-	-
Heater / Boiler (10L) TRUMA COMBI 6E (230V/GAS)	16	-	-	-
Auxiliary heater ULTRAHEAT (230V)	4	0/P1	0/P1	0/P1
Electrical floor heating	5	0/P1	0/P1	0/P1
BATHROOM				
Flexible handshower	2	S	S	-
Shower curtain	2	S	S	-
Shower column + folding door + polyester walls		-	-	S
Ventilated skylight (40x40 cm) with towel rail	2	P2	P2	P2
BEDROOM				
Dimensions front bed (cm)		150x200	(85x195) and (85x200) or 195x210	140x205
Dimensions centre bed (cm)		-	-	180x130
Dimensions rear bed (cm)		125/110x210	130/120x210	(75x190)x2
Adjustable head bed part		-	S	-
ELECTRICAL INSTALLATION				
I-NET X for remote control of Heating & Air-conditioning	0,5	-	-	-
Sockets USB		S	S	S
Sockets 230V		4	4	5



520	540	542	586 Family
4	4	4	6
6,95	7,35	7,35	7,55
5,8	6,2	6,2	6,4
5,2	5,6	5,6	5,8
2,58/1,95	2,58/1,95	2,58/1,95	2,58/1,95
2,3	2,3	2,3	2,3
2,15	2,15	2,15	2,15
1180	1285	1285	1335
1197	1302	1302	1352
1500	1500	1500	1600
1550-1800	1550-1800	1550-1800	1500-1800
9,94	10,34	10,34	10,54
175R14C	185R14C	185R14C	185R14C
0	0	0	0
O/P2	O/P2	O/P2	O/P2
P2	P2	P2	P2
P2	P2	P2	P2
O/P2	O/P2	O/P2	O/P2
P2	P2	P2	P2
-	S	S	S
-	-	-	S (105x105)
P2	P2	P2	-
6	7	7	6
-	S	S	S
P2	P2	P2	P2
P2	P2	P2	P2
P2	P2	P2	P2
P2	P2	P2	P2
O/P1	O/P1	O/P1	O/P1
P2	P2	P2	P2
-	S	S	-
P2	P2	P2	P2
0	0	0	0
O/P2	O/P2	O/P2	O/P2
0	0	0	0
-	-	-	-
S	-	-	-
0	-	-	-
S	-	-	-
-	S	S	S
-	P2	P2	P2
O/P1	-	-	-
O/P1	O/P1	O/P1	O/P1
S	S	S	S
-	-	-	-
S	Variobad	Variobad	S
P2	P2	P2	P2
140/135x200	150/120x210	150/130x210	160x205
-	-	-	180x130
160/130x210	150x200	(85x200)x2 or 200x210	(75x190)x2
-	-	S	-
-	S	S	S
S	-	-	S
4	5	5	5

“S”: Standard , “O”: Optional, “-”: Not available, “P”: Pack
* Instead of the Skylight (70x50 cm)

STANDARD

CHASSIS

Stabiliser coupling AKS 3004
Shock-absorbers
Longer corner steadies
Heavy duty corner steadies (x4)
Wheel trims
Exclusive IRP Technology
Polyester side walls
Entrance door with black window
Luggage door (100x40cm)
Awning light
Bike stand preparation rear

EQUIPMENT

Mosquito-net entrance door
Combined blinds & fly nets
Skylight (70x50cm)
TV Bracket
Illuminated mirror

HEATER

Blown air (12V)

KITCHEN

Compressor Fridge XL FREEZE 150L
Combined 3-burner stove and stainless steel sink with glass cover
Fresh water tank 50L (Fixed)
Waste water tank 30L (Wheeled)

BATHROOM

Shower tray
Electric cassette toilet

BEDROOM

Liftable slatted bed base
Mattresses 15cm thick

ELECTRICAL INSTALLATION

Control panel
Transformer/charger module 230V/12V
including ground fault circuit breaker
Light dimmer
Pre equipment Air-conditioning
Pre equipment Leisure battery
Pre equipment TV: SAT and 230V sockets
LED interior lighting

OPTIONAL

PACK CAMPER (39 KG) /P1

Air-conditioning
Auxiliary heater ULTRAHEAT (230V)
Electrical floor heating

PACK VIP (51 KG) /P2

Aluminum wheels
Aluminum spare wheel (Under-floor)
Exterior Gas socket
Exterior handshower socket
Exterior city water socket
Exterior TV socket on the awning side (12V/230V)
Luggage door (75x30cm) ⁽¹⁾
Electric doorstep
Drawbar cover
Skylight (90x60cm) ⁽²⁾
Ventilated skylight (40x40cm) with towel rail
Kit Comfort (2 Headrests, 2 Lumbar supports,
2 Decorative cushions)
Smoke detector
Administrative payload modification



Heater / Boiler (10L)

TRUMA COMBI 6E (230V/GAZ) ⁽³⁾

Only for 540,542 and 586 family

Details page 4

⁽¹⁾ Except for 496 Family and 586 Family

⁽²⁾ Instead of the Skylight (70x50 cm) and not available for 496 Family

⁽³⁾ Instead of the COMBI 4 for 540 / 542 / 586 Family

Allegra

★★★★★



		562	560
WEIGHTS (m) & DIMENSIONS (kg)	(kg)		
Berths		4	4
Overall length		7,8	7,8
External body length		6,6	6,6
Internal length		5,8	5,8
Overall height / Internal height		2,58/1,95	2,58/1,95
Overall width		2,3	2,3
Internal width		2,15	2,15
Empty weight		1520	1520
Mass in running order +/-5%		1537	1537
Max authorized weight		1900	1900
Administrative payload modification		1650-1850	1650-1850
Awning length +/-5%		10,47	10,47
Spare wheel dimensions		195R14C	195R14C
CHASSIS			
Anti-snaking system ATC (factory fitted)	5	0	0
Luggage door (100x40 cm)	2	S (2)	S (2)
Double-paned opening window		7	7
Air-conditioning	30	0	0
EQUIPMENT			
Carpet	7	0	0
HEATER			
Electrical floor heating	5	0	0
BEDROOM			
Dimensions front bed (cm)		140/150x210	140/150x210
Dimensions rear bed (cm)		85x200 & 85x210	150x200
Adjustable head bed part		S	-
ELECTRICAL INSTALLATION			
Sockets USB		2	2
Sockets 230V		6	6

“S”: Standard , “O”: Optional, “-” : Not available



STANDARD

CHASSIS

Stabiliser coupling AKS 3004
Shock-absorbers
Heavy duty corner steadies (x4)
Steel spare wheel (front trunk)
Exclusive IRP Technology
Polyester side walls
XL Entrance door (61 cm)
Front window
Awning light
Exterior Gas socket

EQUIPMENT

Mosquito-net entrance door
Combined blinds & fly nets
Skyview
TV Brackett

HEATER

Blown air (12V)

KITCHEN

Three-way Column Fridge 140L Silm (12V/230V/GAS)
Combined 3-burner stove and stainless steel sink with glass cover
Spice rack
Fresh water tank 50L (Fixed)
Waste water tank 30L (Wheeled)

BATHROOM

Electric cassette toilet
Separated shower cabin

ELECTRICAL INSTALLATION

Control panel
Transformer/charger module 230V/12V including ground fault circuit breaker
Light dimmer
Pre equipment Air-conditioning
Pre equipment SAT
Pre equipment Leisure battery
LED interior lighting

PACK OPTIMA INCLUDED

Aluminum wheels
Aluminum spare wheel (Under-floor)
Spare-wheel fixation (Under-floor)
Exterior city water socket
Exterior TV socket on the awning side (12V/230V)
Luggage door (100x40cm) x2
Ventilated skylight (40x40cm) with towel rail
Skylight (70x50cm)
Heater / Boiler (10L) TRUMA COMBI 6E (230V/GAS)
I-NET X for remote control of Heating & Air-conditioning
Skylight (90x60cm)
Drawbar cover
Electric doorstep
Integrated oven/grill (GAS)
Extractor hood
Smoke detector
Rounded lounge with headrest
Folding table on central leg with flexible top
Liftable slatted bed base
Matresses 17cm thick
Night lighting on the ground
Shower column with light
LED lights under cupboards
Pre equipment TV : SAT and 230V sockets
Pre equipment Solar panel
Technical payload modification (1900kg)

TITANIUM



		450	455	470
WEIGHTS (m) & DIMENSIONS (kg)	(kg)			
Berths		4	4	4
Overall length		6,4	6,4	6,7
External body length		5,3	5,3	5,6
Internal length		4,7	4,7	5
Overall height / Internal height		2,58/1,95	2,58/1,95	2,58/1,95
Overall width		2,3	2,3	2,3
Internal width		2,15	2,15	2,15
Empty weight		980	1000	1020
Mass in running order +/-5%		997	1017	1037
Max authorized weight		1300	1300	1300
Administrative payload modification		1100-1500	1100-500	1150-1500
Awning length +/-5%		9,44	9,44	9,74
Spare wheel dimensions		175R14C	175R14C	175R14C
CHASSIS				
Anti-snaking system ATC (factory fitted)	5	0	0	0
Double-paned opening window		5	6	5
Front window	3	-	S	-
Air-conditioning	30	0	0	0
HEATER				
Auxiliary heater ULTRAHEAT (230V)	4	0	0	0
Electrical floor heating	5	0	0	0
KITCHEN				
Three-way Fridge 85L (12V/230V/GAS)		S	-	-
Compressor Fridge XL FREEZE 150L	15	-	S	S
BATHROOM				
Shower curtain	2	S	S	S
Shower column	3	-	S	-
BEDROOM				
Dimensions front bed (cm)		(85x195) and (85x200) or 195x210	120/150x210	150x200
Dimensions rear bed (cm)		110/100x195	140x200	120/110x190
ELECTRICAL INSTALLATION				
Sockets 230V		4	5	4

“S”: Standard , “O”: Optional, “-”: Not available



STANDARD

CHASSIS

Stabiliser coupling AKS 3004
Shock-absorbers
Longer corner steadies
Steel spare wheel (front trunk)
Spare-wheel fixation (front trunk)
Exclusive IRP Technology
Luggage door (100x40cm)
Awning light
Bike stand preparation rear

EQUIPMENT

Mosquito-net entrance door
Skylight (70x50cm)
LED spotlights for reading with USB
Smoke detector

HEATER

Boiler Truma Therme 5L (230V)
Heater TRUMA 3004 (GAS)

KITCHEN

Combined 3-burner stove and stainless steel sink with glass cover
Fresh water tank 50L (Fixed)
Waste water tank 30L (Wheeled)

BATHROOM

Shower tray
Flexible handshower
Electric cassette toilet

BEDROOM

Liftable slatted bed base
Mattresses 15cm thick

ELECTRICAL INSTALLATION

Transformer/charger module 230V/12V including ground fault circuit breaker
Light dimmer
Pre equipment Air-conditioning
Pre equipment TV: SAT and 230V sockets
LED interior lighting

FULLY EQUIPPED

Polyester side walls
Aluminum wheels
Heavy duty corner steadies (x4)
Drawbar cover
ABS rear bumper with integrated rear lights
Roof bar black
Entrance door with black window
Blown air (12V)
Compressor Fridge XL FREEZE 150L (Depending on model)
Front window (Depending on model)
Combined blinds & fly nets
Control panel
TV Brackett
Cushions «Austin»
Bedsread (Depending on model)
Adjustable head bed part (Depending on model)
Additional upper cupboard
Smoke detector
Pre equipment Leisure battery
Administrative payload modification (1500kg)

Mont Blanc




Pont du Gard



Cassis



Gironde



by **TRIGANO**

caravelair-caravans.com



IMPORTANT : adding optional equipment reduces the user payload. The Mass in Running Order includes the weight of the caravan with the standard equipment.

Some models photographed in this catalogue may be shown with equipment supplied as an option. The characteristics of photographed models may vary from one country to the next. Despite the care taken in producing this catalogue, this cannot be viewed as a contractual document. CARAVELAIR reserves the right to modify its models without prior notice. CARAVELAIR cannot be held liable for any modifications made by its suppliers nor typographical errors when printing these documents. It is forbidden to reproduce, even partially, text or document. Do not litter the public highway. Your retailer is at your disposal to advise you and provide you with any additional information. Where there are multilingual versions, the French text is the binding version.

All technical characteristics (texts and photos) valid at the time of printing (august 2022) are provided by CARAVELAIR for general guidance. They may be subject to modification, often because of technical progress. Non-contractual document.

TRIGANO VDL

1, av. de Rochebonne - CS 69003 - 07302 Tournon-sur-Rhône Cedex - FRANCE
contact@caravelair.tm.fr

Pictures: Serge Chapuis - Design and layout: www.jourj.buzz