

COLLECTION 2022

MADE IN  
FRANCE

*Just happiness*



**60**  
YEARS  
JAHRE  
ANS  
AÑOS  
JAAR

[caravelair-caravans.com](http://caravelair-caravans.com)

**TECHNICAL  
CHARACTERISTICS**



→ LAYOUTS



BUNK BEDS

ALBA 386 FAMILY ★★★

5,50 x 2,30 m

4

ALBA 426 FAMILY ★★★

6,20 x 2,30 m

5

ALBA 466 FAMILY ★★★

6,40 x 2,30 m

6

ALBA 486 FAMILY ★★★

6,70 x 2,30 m

6

ALBA 496 FAMILY ★★★

6,70 x 2,30 m

6

ALBA 497 FAMILY ★★★

6,70 x 2,30 m

7

ARTICA 496 FAMILY ★★★★★

6,95 x 2,30 m

6

NEW 2022  
ARTICA 586 FAMILY ★★★★★

7,55 x 2,30 m

6



ISLAND BED

ALBA 460 ★★★

6,70 x 2,10 m

4

ARTICA 490 ★★★★★

6,75 x 2,30 m

4

NEW 2022  
SKYVIEW  
ARTICA 540 ★★★★★

7,35 x 2,30 m

4

ALLEGRA 560 ★★★★★

7,80 x 2,30 m

4



TWIN BED

ALBA 472 ★★★

6,40 x 2,10 m

4

ARTICA 492 ★★★★★

6,75 x 2,30 m

4

NEW 2022  
SKYVIEW  
ARTICA 542 ★★★★★

7,35 x 2,30 m

4

ALLEGRA 562 ★★★★★

7,80 x 2,30 m

4



TRANSVERSE BED

ALBA 350 ★★★

5,20 x 2,10 m

2

ALBA 390 ★★★

5,70 x 2,10 m

4

ALBA 400 ★★★

5,90 x 2,10 m

4

ALBA 430 ★★★

6,20 x 2,30 m

4



FRENCH BED

ARTICA 520 ★★★★★

6,95 x 2,30 m

4


ANTARÈS TITANIUM  
ANNIVERSARY



4




TITANIUM 470



6,70 x 2,30 m  
ISLAND BED




TITANIUM 450



6,40 x 2,30 m  
TWIN BED



TITANIUM 455



6,40 x 2,30 m  
FRENCH BED



➔ DECORS

*Exterior and interior*

Alba\*\*\*

PACK STYLE

*As light as the price!*

Side walls



Hammered sheet metal walls or White polyester GRP sides (Pack Style)

Front part



Rear part



Cupboards doors



Fabric



Ottawa



Napoli



Sidney

Artica\*\*\*\*

*All-inclusive holidays*

Side walls



"Taupe Grey" polyester GRP sides

Front part



Rear part



Cupboards doors



Fabric



Berlin



London



Paris (option)

Allegra\*\*\*\*\*

*The very best*

Side walls



White polyester GRP sides

Front part



Rear part



Cupboards doors



Fabric



Canberra



Alba\*\*\*



| DIMENSIONS (m) & WEIGHTS (kg)    | (kg) | 350          | 386 Family   | 390          | 400          | 426 Family  | 430         |
|----------------------------------|------|--------------|--------------|--------------|--------------|-------------|-------------|
| Berths                           |      | 2            | 4            | 4            | 4            | 6           | 4           |
| Overall Length                   |      | 5,20         | 5,50         | 5,70         | 5,90         | 6,20        | 6,20        |
| External body length             |      | 4,10         | 4,40         | 4,60         | 4,80         | 5,10        | 5,10        |
| Internal length                  |      | 3,50         | 3,80         | 4,00         | 4,20         | 4,50        | 4,50        |
| Overall height / Internal height |      | 2,58 / 1,95  | 2,58 / 1,95  | 2,58 / 1,95  | 2,58 / 1,95  | 2,58 / 1,95 | 2,58 / 1,95 |
| Overall width                    |      | 2,10         | 2,30         | 2,10         | 2,10         | 2,30        | 2,30        |
| Internal width                   |      | 1,95         | 2,15         | 1,95         | 1,95         | 2,15        | 2,15        |
| Empty weight                     |      | 740          | 805          | 740          | 785          | 935         | 950         |
| Mass in running order +/- 5%     |      | 767 / 817*   | 832 / 882*   | 777 / 830*   | 822 / 872*   | 962 / 1027* | 977 / 1027* |
| Max authorised weight            |      | 1000 / 1100* | 1000 / 1100* | 1000 / 1100* | 1000 / 1100* | 1200        | 1200        |
| Administrative payload increase  |      | 850/1300     | 950/1300     | 950/1300     | 950/1300     | 1100/1300   | 1300        |
| Awning Length (m) +/- 5%         |      | 7,97         | 8,27         | 8,47         | 8,67         | 8,97        | 8,97        |
| Spare wheel dimensions           |      | 185/70 R14   | 175R14C      | 185/70 R14   | 185/70 R14   | 175R14C     | 175R14C     |

| CHASSIS                           |    |   |            |   |   |            |   |
|-----------------------------------|----|---|------------|---|---|------------|---|
| Shock-absorbers                   | 3  | P | P          | P | P | P          | P |
| AKS 3004                          | 3  | P | P          | P | P | P          | P |
| Steel spare wheel                 | 16 | O | O          | O | O | O          | O |
| Spare-wheel fixation in gas trunk | 2  | P | P          | P | P | P          | P |
| Aluminum wheels                   | 16 | O | O          | O | O | O          | O |
| Luggage door (100x40cm)           | 2  | P | P          | P | P | P          | P |
| Bicycle storage                   |    | - | S (105x65) | - | - | S (105x65) | - |
| Opening windows                   |    | 3 | 5          | 4 | 3 | 5          | 4 |
| Front window                      | 3  | O | O          | O | O | O          | O |


| EQUIPMENT                  |    |   |   |   |   |   |   |
|----------------------------|----|---|---|---|---|---|---|
| Skylight 70x50 (cm)        | 2  | O | O | O | O | O | O |
| Boiler Trumatherme 5L/230V | 4  | P | P | P | P | P | P |
| Blown air Trumavent 12V    | 4  | O | O | O | O | O | O |
| ULTRA HEAT                 | 4  | O | O | O | O | O | O |
| Mosquito-net entrance door | 3  | O | O | O | O | O | O |
| Air-conditioning           | 30 | O | O | O | O | O | O |

| KITCHEN                                |    |   |   |   |   |        |   |
|----------------------------------------|----|---|---|---|---|--------|---|
| 85L fridge (Gas/12V/230V)              |    | S | - | S | S | S      | - |
| Compressor refrigerator XL Freeze 150L | 15 | - | S | - | - | O / S* | S |
| Waste water tank 30L (wheeled)         | 3  | P | P | P | P | P      | P |
| Fresh water tank 50L                   | 3  | P | P | P | P | P      | P |

| BATHROOM                 |   |                |                |                |                |            |                |
|--------------------------|---|----------------|----------------|----------------|----------------|------------|----------------|
| Shower curtain           | 2 | P              | P              | P              | P              | P          | P              |
| Flexible handshower      | 2 | P              | P              | P              | P              | P          | P              |
| Curtain & shower column  | 3 | -              | -              | P / S*         | -              | -          | -              |
| Thetford cassette toilet |   | S (Electrical) | S (Electrical) | S (Electrical) | S (Electrical) | S (Manual) | S (Electrical) |

| BEDROOM                    |  |                        |             |            |         |                 |              |
|----------------------------|--|------------------------|-------------|------------|---------|-----------------|--------------|
| Dimensions front bed (cm)  |  | 140x195 or 195/205x195 | 145/150x210 | 140x195    | 140x195 | 140X210         | 150x210      |
| Dimensions centre bed (cm) |  | 55\65x190              | -           | -          | 100x170 | 110/95x170      | -            |
| Dimensions rear bed (cm)   |  | -                      | (75x210)x2  | 125/90x190 | -       | (77/60x210) x 2 | 145/120 x190 |

| ELECTRICAL INSTALLATION             |   |    |    |    |    |    |    |
|-------------------------------------|---|----|----|----|----|----|----|
| Leisure Battery preparation (2 kg.) | 2 | O  | O  | O  | O  | O  | O  |
| Electrical floor heating            | 5 | O  | -  | O  | O  | O  | O  |
| Sockets 230V                        |   | S3 | S3 | S3 | S3 | S3 | S3 |



|             | 460         | 466 Family   | 472         | 486 Family   | 496 Family   | 497 Family   |
|-------------|-------------|--------------|-------------|--------------|--------------|--------------|
| 4           | 4           | 6            | 4           | 6            | 6            | 7            |
| 6,70        | 6,70        | 6,40         | 6,40        | 6,70         | 6,70         | 6,70         |
| 5,60        | 5,60        | 5,30         | 5,30        | 5,60         | 5,60         | 5,60         |
| 5,00        | 5,00        | 4,70         | 4,70        | 5,00         | 5,00         | 5,00         |
| 2,58 / 1,95 | 2,58 / 1,95 | 2,58 / 1,95  | 2,58 / 1,95 | 2,58 / 1,95  | 2,58 / 1,95  | 2,58 / 1,95  |
| 2,10        | 2,10        | 2,30         | 2,10        | 2,30         | 2,30         | 2,30         |
| 1,95        | 1,95        | 2,15         | 1,95        | 2,15         | 2,15         | 2,15         |
| 940         | 940         | 990          | 925         | 1010         | 1010         | 1020         |
| 967 / 1020* | 967 / 1020* | 1017 / 1067* | 952 / 1005* | 1047 / 1100* | 1047 / 1100* | 1057 / 1110* |
| 1200        | 1200        | 1200         | 1200        | 1300         | 1300         | 1300         |
| 1100/1300   | 1100/1300   | 1100/1300    | 1100/1300   | 1200/1500    | 1200/1500    | 1200/1500    |
| 9,47        | 9,47        | 9,17         | 9,17        | 9,47         | 9,47         | 9,47         |
| 175R14C     | 175R14C     | 175R14C      | 175R14C     | 175R14C      | 175R14C      | 175R14C      |

|   |            |   |            |             |             |
|---|------------|---|------------|-------------|-------------|
| P | P          | P | P          | P           | P           |
| P | P          | P | P          | P           | P           |
| O | O          | O | O          | O           | O           |
| P | P          | P | P          | P           | P           |
| O | O          | O | O          | O           | O           |
| P | P          | P | P          | P           | P           |
| - | S (105x65) | - | S (105x65) | S (105x105) | S (105x105) |
| 5 | 5          | 5 | 5          | 6           | 7           |
| O | O          | O | O          | O           | O           |

|   |   |   |   |   |   |
|---|---|---|---|---|---|
| O | O | O | O | O | O |
| P | P | P | P | P | P |
| O | O | O | O | O | O |
| O | O | O | O | O | O |
| O | O | O | O | O | O |
| O | O | O | O | O | O |

|   |   |   |   |   |   |
|---|---|---|---|---|---|
| S | S | S | - | - | - |
| - | O | - | S | S | S |
| P | P | P | P | P | P |
| P | P | P | P | P | P |

|                |            |                |                |                |                |
|----------------|------------|----------------|----------------|----------------|----------------|
| P              | P          | P              | P              | P              | P              |
| P              | P          | P              | P              | P              | P              |
| P / S*         | -          | P / S*         | -              | P / S*         | P / S*         |
| S (Electrical) | S (Manual) | S (Electrical) | S (Electrical) | S (Electrical) | S (Electrical) |

|            |             |                              |            |            |            |
|------------|-------------|------------------------------|------------|------------|------------|
| 140x200    | 140x210     | 70/95x195/205 or 195/205x195 | 140x210    | 140x210    | 140x210    |
| -          | 110x170     | -                            | 100 x 170  | 100x170    | 100x170    |
| 125/90x190 | (75x210) x2 | 125/90x190                   | (75x210)x2 | (85x185)x2 | (85x185)x3 |

|    |    |    |    |    |    |
|----|----|----|----|----|----|
| O  | O  | O  | O  | O  | O  |
| O  | O  | O  | O  | O  | O  |
| S3 | S3 | S3 | S3 | S3 | S3 |

| STANDARD                                                                     |
|------------------------------------------------------------------------------|
| GRP Roof, Front, Back & Under-floor                                          |
| Exclusive XPS insulation                                                     |
| Awning light                                                                 |
| 3 <sup>rd</sup> brake light                                                  |
| Bike stand preparation rear                                                  |
| TRUMATIC 3004 Gas heater                                                     |
| Combined blinds & fly nets                                                   |
| Leisure Air-conditioning preparation                                         |
| LED lights in ceiling                                                        |
| Stainless steel sink & 3 burners                                             |
| Fresh water tank 25L (wheeled)                                               |
| LED lights                                                                   |
| Shower tray                                                                  |
| Comfort mattresses (12cm)                                                    |
| Transformer / charger module 230V/12V including ground fault circuit breaker |
| Living room light dimmer                                                     |
| TV-preparation (socket and cable)                                            |

| OPTIONAL                       |
|--------------------------------|
| <b>PACK TRAVEL (14 kg)</b>     |
| Shock-absorbers                |
| AKS 3004                       |
| Luggage door (100x40cm)        |
| Spare-wheel fixation           |
| Fresh water tank 50L           |
| Waste water tank 30L (wheeled) |

|                                        |
|----------------------------------------|
| <b>PACK STYLE (50 kg)</b>              |
| GRP sides                              |
| AKS 3004                               |
| Shock-absorbers                        |
| Luggage door (100x40cm)                |
| Boiler Trumatherme 5L/230V             |
| Flexible handshower                    |
| Waste water tank 30L (wheeled)         |
| Fresh water tank 50L                   |
| Skylight (70x50cm)                     |
| Entrance door accessories              |
| Exclusive cushions "Sidney"            |
| Comfort matresse (15cm) in parents bed |
| Bi-color cupboards doors               |
| Backlit under cupboard storage         |
| LED lights x4                          |
| Shower curtain                         |
| Spare-wheel fixation in gas trunk      |

|                                    |
|------------------------------------|
| <b>PACK SHOWER ALBA (8 kg)</b>     |
| Boiler Trumatherme 5L/230V         |
| Flexible handshower                |
| Shower curtain                     |
| Shower column (depending on model) |



S : Standard / O : Optional / - : Not available / P: Pack  
\* With Pack Style

Artica\*\*\*\*



|                                          |             | 490       | 492       | 496 Family | 520       |
|------------------------------------------|-------------|-----------|-----------|------------|-----------|
| <b>DIMENSIONS (m) &amp; WEIGHTS (kg)</b> | <b>(kg)</b> |           |           |            |           |
| Berths                                   |             | 4         | 4         | 6          | 4         |
| Overall length                           |             | 6,75      | 6,75      | 6,95       | 6,95      |
| External body length                     |             | 5,60      | 5,60      | 5,80       | 5,80      |
| Internal length                          |             | 5,00      | 5,00      | 5,20       | 5,20      |
| Overall height / Internal height         |             | 2,58/1,95 | 2,58/1,95 | 2,58/1,95  | 2,58/1,95 |
| Overall width                            |             | 2,30      | 2,30      | 2,30       | 2,30      |
| Internal width                           |             | 2,15      | 2,15      | 2,15       | 2,15      |
| Empty weight                             |             | 1110      | 1170      | 1190       | 1165      |
| Mass in running order +/-5%              |             | 1127      | 1187      | 1207       | 1182      |
| Max authorized weight                    |             | 1500      | 1500      | 1500       | 1500      |
| Administrative payload increase          |             | 1400      | 1400      | 1400       | 1400      |
| Technical payload increase               |             | 1800      | 1800      | 1800       | 1800      |
| Awning length +/-5%                      |             | 9,74      | 9,74      | 9,94       | 9,94      |
| Spare wheel dimensions                   |             | 175R14C   | 175R14C   | 175R14C    | 175R14C   |

|                                       |    |     |     |                |     |
|---------------------------------------|----|-----|-----|----------------|-----|
| <b>CHASSIS</b>                        |    |     |     |                |     |
| ATC                                   | 5  | 0   | 0   | 0              | 0   |
| Aluminum wheels and steel spare wheel | 16 | 0/P | 0/P | 0/P            | 0/P |
| Opening windows                       |    | 7   | 8   | 7              | 6   |
| Front window                          | 3  | 0   | 0   | S              | -   |
| Steel spare wheel                     | 16 | 0   | 0   | 0              | 0   |
| Aluminum spare wheel                  | 16 | P   | P   | P              | P   |
| Spare-wheel fixation                  | 2  | P   | P   | P              | P   |
| Drawbar cover                         | 2  | P   | P   | P              | P   |
| Bicycle storage                       |    | -   | -   | S ( 105 x 105) | -   |
| Air-conditioning                      | 30 | 0   | 0   | 0              | 0   |
| TV socket in awning                   | 1  | P   | P   | P              | P   |
| Exterior Gas socket                   | 1  | P   | P   | P              | P   |
| Exterior handshower socket            | 1  | P   | P   | P              | P   |
| Exterior city water socket            | 1  | P   | P   | P              | P   |
| Electric doorstep                     | 7  | P   | P   | P              | P   |

|                                                                     |    |   |   |     |     |
|---------------------------------------------------------------------|----|---|---|-----|-----|
| <b>EQUIPMENT</b>                                                    |    |   |   |     |     |
| TRUMATIC 3004 Gas heater                                            |    | S | S | S   | S   |
| Truma Combi 4                                                       |    | - | - | -   | -   |
| Truma Combi 6E                                                      | 16 | - | - | -   | -   |
| ULTRA HEAT                                                          | 4  | 0 | 0 | 0   | 0   |
| Boiler Trumatherme 5L/230V                                          |    | S | S | -   | -   |
| Boiler Trumatherme 14L/230V                                         |    | - | - | S   | S   |
| Boiler Trumatherme 10L/230V/Gas                                     | 11 | - | - | 0   | 0   |
| Smoke detector                                                      | 1  | P | P | P   | P   |
| XL Entrance door (Hartal 61 cm)                                     |    | - | - | -   | -   |
| Skylight Heiki 2 (90x60 cm)                                         | 2  | P | P | -   | P   |
| Skyview window                                                      |    | - | - | -   | -   |
| Storage pockets                                                     |    | - | - | S 4 | S 2 |
| Carpet                                                              | 7  | 0 | 0 | 0   | 0   |
| Cushions "Paris"                                                    | 0  | 0 | 0 | 0   | 0   |
| Kit Comfort (2 Headrests, 2 Lumbar supports, 2 Decorative cushions) | 5  | 0 | 0 | 0   | 0   |

|                                                 |   |   |   |   |   |
|-------------------------------------------------|---|---|---|---|---|
| <b>BATHROOM</b>                                 |   |   |   |   |   |
| Shower curtain                                  |   | S | S | - | - |
| Flexible handshower                             |   | S | S | - | S |
| Ventilated skylight (40x40 cm) with towel rail  | 2 | P | P | P | P |
| Shower column, folding door and polyester walls |   | - | - | S | S |

|                            |  |             |                                  |            |             |
|----------------------------|--|-------------|----------------------------------|------------|-------------|
| <b>BEDROOM</b>             |  |             |                                  |            |             |
| Dimensions front bed (cm)  |  | 150x200     | (85x195) and (85x200) or 195x210 | 140x205    | 140/135x200 |
| Dimensions centre bed (cm) |  | -           | -                                | 180x130    | -           |
| Dimensions rear bed (cm)   |  | 125/110x210 | 130/120x210                      | (75x190)x2 | 160/130x210 |

|                                    |     |     |     |     |     |
|------------------------------------|-----|-----|-----|-----|-----|
| <b>ELECTRICAL INSTALLATION</b>     |     |     |     |     |     |
| TRUMA I-NET & I-Box for smartphone | 0,5 | P   | P   | P   | P   |
| Sockets 230V                       |     | S 4 | S 4 | S 5 | S 4 |
| USB sockets                        |     | S   | S   | S   | S   |
| Electrical floor heating           | 5   | 0   | 0   | 0   | 0   |

STANDARD

|                                      |                                                      |
|--------------------------------------|------------------------------------------------------|
| Shock-absorbers                      | Illuminated mirror                                   |
| AKS 3004                             | LED Lightning                                        |
| Longer corner steadies               | Stainless steel sink & 3 burners                     |
| Heavy duty corner steadies           | Compressor fridge XL Freeze 150L                     |
| Wheel trims                          | Fresh water tank 50L                                 |
| Awning light                         | Waste water tank 30L (wheeled)                       |
| 3 <sup>rd</sup> brake light          | LED lightning                                        |
| Luggage door (100x40cm)              | Thetford electric cassette toilet                    |
| Leisure Air-conditioning preparation | Shower tray                                          |
| GRP Roof, Sides & Under-floor        | Bed gas strut                                        |
| Exclusive IRP Technology             | Comfort matresse (15cm) in parents bed               |
| Bike stand preparation rear          | LED lights and 2 spotlights with USB                 |
| Blown air Trumavent 12V              | Transformer/charger module 230V/12V including ground |
| Combined blinds & fly nets           | fault circuit breaker                                |
| Mosquito-net entrance door           | Electronic control panel "Lux"                       |
| Entrance door with window            | Living room light dimmer                             |
| Skylight (50x70cm)                   | Leisure battery preparation                          |
| TV-preparation (socket and cable)    |                                                      |
| TV Brackett                          |                                                      |

OPTIONAL

PACK CAMPER (39 KG)

|                          |
|--------------------------|
| Air-conditioning         |
| ULTRA HEAT               |
| Electrical floor heating |

PACK VIP (51 KG)

|                                                                     |
|---------------------------------------------------------------------|
| Skylight Heiki 2 (90x60cm)                                          |
| Kit Comfort (2 Headrests, 2 Lumbar supports, 2 Decorative cushions) |
| Aluminum spare wheel                                                |
| Exterior Gas socket                                                 |
| Electric doorstep                                                   |
| Exterior handshower socket                                          |
| Exterior city water socket                                          |
| TV socket in awning                                                 |
| Luggage door (75x30cm) <sup>(1)</sup>                               |
| Drawbar cover                                                       |
| Administrative payload increase                                     |
| Smoke detector                                                      |
| Truma I-net box for smartphone                                      |
| Ventilated skylight (40x40cm) with towel rail                       |



**TRUMA COMBI 6E**  
Only for  
540 / 542 / 586 Family  
*Details page 11*



(1) Except for 496 Family et 586 Family

# Allegra ★★★★★

|                                                                                  | 560 | 562 |
|----------------------------------------------------------------------------------|-----|-----|
|  |     |     |
|  |     |     |

| DIMENSIONS (m) & WEIGHTS (kg)    | (kg) |           |           |
|----------------------------------|------|-----------|-----------|
| Berths                           |      | 4         | 4         |
| Overall length                   |      | 7,80      | 7,80      |
| External body length             |      | 6,60      | 6,60      |
| Internal length                  |      | 5,80      | 5,80      |
| Overall height / Internal height |      | 2,58/1,95 | 2,58/1,95 |
| Overall width                    |      | 2,30      | 2,30      |
| Internal width                   |      | 2,15      | 2,15      |
| Empty weight                     |      | 1520      | 1520      |
| Mass in running order +/-5%      |      | 1537      | 1537      |
| Max authorized weight            |      | 1900      | 1900      |
| Administrative payload increase  |      | 1800      | 1800      |
| Awning length +/-5%              |      | 10,47     | 10,47     |
| Spare wheel dimensions           |      | 195R14C   | 195R14C   |

| CHASSIS          |    |   |   |
|------------------|----|---|---|
| ATC              | 5  | 0 | 0 |
| Opening windows  |    | 7 | 7 |
| Air-conditioning | 30 | 0 | 0 |

| EQUIPMENT |   |   |   |
|-----------|---|---|---|
| Carpet    | 7 | 0 | 0 |

| BEDROOM                   |  |             |                 |
|---------------------------|--|-------------|-----------------|
| Dimensions front bed (cm) |  | 140/150x210 | 140/150x210     |
| Dimensions rear bed (cm)  |  | 150x200     | 85x200 & 85x210 |
| Bedsread                  |  | -           | S               |

| ELECTRICAL INSTALLATION  |   |     |     |
|--------------------------|---|-----|-----|
| Sockets 230V             |   | S 6 | S 6 |
| USB sockets              |   | S 2 | S 2 |
| Electrical floor heating | 5 | 0   | 0   |

S : Standard / 0 : Optional / - : Not available



## STANDARD

|                                       |                                                                            |
|---------------------------------------|----------------------------------------------------------------------------|
| Shock-absorbers                       | TV socket in awning                                                        |
| AKS 3004                              | LED lightning                                                              |
| Heavy duty corner steadies            | Smoke detector                                                             |
| Aluminum wheels and steel spare wheel | Stainless steel sink & 3 burners                                           |
| Awning light                          | Exterior gas socket                                                        |
| 3 <sup>rd</sup> brake light           | Extractor hood                                                             |
| Steel spare wheel                     | Gas oven                                                                   |
| Drawbar cover                         | Fridge 140L slim tower                                                     |
| Luggage door (100x40cm)               | Fresh water tank 50L                                                       |
| Leisure Air-conditioning preparation  | Waste water tank 30L (wheeled)                                             |
| Electric doorstep                     | Spice rack                                                                 |
| XL Entrance door (Hartal 61 cm)       | LED lightning                                                              |
| GRP Roof, Sides & Under-floor         | Thetford electric cassette toilet                                          |
| Exclusive IRP Technology              | Exterior city water socket                                                 |
| Bike stand preparation rear           | Separated shower                                                           |
| Combi 6E boiler (10L) and heater      | Slatted bed bases and adjustable head part                                 |
| Blown air 12V integrated in Combi 6E  | Bed gas strut                                                              |
| Combined blinds & fly nets            | Comfort mattresses (17cm)                                                  |
| Mosquito-net entrance door            | LED lightning                                                              |
| Skylight (50x70cm)                    | Transformer/charger module 230V/12V including ground fault circuit breaker |
| Skylight Heiki 2 (90x60cm)            | Electronic control panel "Lux" with Truma I-Net                            |
| Skyview window                        | TRUMA I-NET & I-Box for smartphone                                         |
| TV-preparation (socket and cable)     | Living room light dimmer                                                   |
| SAT- preparation                      | Leisure battery preparation                                                |
| Solar panel preparation               |                                                                            |
| TV Brackett                           |                                                                            |

## PACK OPTIMA (INCLUDED)

|                                                |
|------------------------------------------------|
| Combi 6E boiler (10L) and heater               |
| Aluminum wheels                                |
| Aluminum spare wheel                           |
| Spare-wheel fixation                           |
| Drawbar cover                                  |
| TV-preparation HDMI (socket and cable)         |
| Solar panel preparation                        |
| Gas oven                                       |
| Extractor hood                                 |
| Exterior city water socket                     |
| TV socket in awning                            |
| Ventilated skylight (40x40cm) with towel rail  |
| 2nd Luggage door (100x40cm)                    |
| Slatted bed bases and adjustable head part     |
| Comfort mattresses (17cm)                      |
| TRUMA I-NET & I-Box for smartphone             |
| Rounded lounge with headrest                   |
| Electric doorstep                              |
| Folding table on central leg with flexible top |
| Technical payload increase 1900KG              |
| Skylight (70x50cm)                             |
| Skylight Heiki 2 (90x60cm)                     |
| Night lighting on the ground                   |
| Shower column with light                       |
| LED lights under cupboards                     |
| Smoke detector                                 |


## ➔ FOCUS ON



### TRUMA COMBI 6E

**This combines the heating and water heater functions in a single appliance.**

The Truma Combi 6E is a powerful warm air heater (6000 W) with integrated hot water generator. It allows the heating to be run in gas mode, electricity mode, or combi mode. For use when stationary at the campsite, you can run the Combi heating with the 12 V transformer without using the onboard power supply.



### TRUMA I-NET & I-BOX

**Control the heating and air conditioning from the application on your smartphone.**

The Truma iNet Box is a central control unit that networks the Truma appliances in the caravan. The iNet Box can be used to control the Truma Combi heating and/or air conditioning remotely with a smartphone or tablet, wherever the user is, and can also check the gas level.



**IMPORTANT :** adding optional equipment reduces the user payload. The Mass in Running Order includes the weight of the caravan with the standard equipment.



Some models photographed in this catalogue may be shown with equipment supplied as an option. The characteristics of photographed models may vary from one country to the next. Despite the care taken in producing this catalogue, this cannot be viewed as a contractual document. CARAVELAIR reserves the right to modify its models without prior notice. CARAVELAIR cannot be held liable for any modifications made by its suppliers nor typographical errors when printing these documents. It is forbidden to reproduce, even partially, text or document. Do not litter the public highway. Your retailer is at your disposal to advise you and provide you with any additional information. Where there are multilingual versions, the French text is the binding version.

All technical characteristics (texts and photos) valid at the time of printing (august 2021) are provided by CARAVELAIR for general guidance. They may be subject to modification, often because of technical progress. Non-contractual document.

TRIGANO VDL

1, av. de Rochebonne - CS 69003 - 07302 Tournon-sur-Rhône Cedex - FRANCE  
Tél. +33 (0)4 75 07 55 00 - [contact@caravelair.tm.fr](mailto:contact@caravelair.tm.fr)

Pictures: Serge Chapuis - Design and layout: [www.jourj.buzz](http://www.jourj.buzz)

# TITANIUM

ANNIVERSARY

*The Collector range,  
fully equipped!*



➔ REQUEST OUR DOCUMENTATION



[caravelair-caravans.com](http://caravelair-caravans.com)



TRIGANO VDL

1, av. de Rochebonne - CS 69003 - 07302 Tournon-sur-Rhône Cedex - FRANCE  
Tél. +33 (0)4 75 07 55 00 - [contact@caravelair.tm.fr](mailto:contact@caravelair.tm.fr)