

TECHNICAL CHARACTERISTICS







GB

Heading *for space...*



LAYOUTS*

	ALLEGRA OPTIMA	ARTICA	ANTARÈS STYLE	ALBA
ISLAND BED	 560 · 5,80 x 2,15 m	 490 · 5,00 x 2,15 m	 470 · 5,00 x 2,15 m	 460 · 5,00 x 1,95 m
FRENCH BED	 520 · 5,20 x 2,15 m	 520 · 5,20 x 2,15 m	 410 · 4,20 x 2,15 m	
TWIN BED	 562 · 5,80 x 2,15 m	 492 · 5,00 x 2,15 m	 450 · 4,70 x 2,15 m	 472 · 4,70 x 2,15 m
TRANSVERSE BED			 400 · 4,20 x 1,95 m	 350 · 3,50 x 1,95 m  390 · 4,00 x 1,95 m
BUNK BEDS		 496 · 5,20 x 2,15 m	 476 · 4,70 x 2,15 m  486 · 5,00 x 2,15 m	 426 · 4,50 x 2,15 m  466 · 4,70 x 2,15 m  496 · 5,00 x 2,15 m

*All the layouts presented here are in day versions. All night versions are available on our website.

DECORS

ALLEGRA OPTIMA	ARTICA	ANTARÈS STYLE	ALBA
 CANBERRA	 AMSTERDAM	 HANOÏ	 TORONTO
	 AUSTIN	 CAMBRIDGE	 PLATA
			 SAIGON* *Paying Option



4
ALLEGRA
OPTIMA

The very best
From 1,700 to 1,900 kg

- Top-of-the-range interior
- Top-quality equipment
- Optimal comfort
- Elegant exterior design
- Outstanding insulation



4>6
ARTICA

All-inclusive holidays
From 1,400 to 1,500 kg

- Trendy interior design
- Enhanced exterior design
- All-inclusive, all-season equipment
- Outstanding insulation



4>6
ANTARÈS
STYLE

The right level of equipment
From 1,200 to 1,500 kg

- Layout designed for couples and families
- Modern exterior design
- Light and easy to tow
- Outstanding insulation



2>6
ALBA

As light as the price!
From 900 to 1,300 kg

- Light and easy to tow
- Large choice of layouts
- Essential standard equipment
- Outstanding insulation



IMPORTANT : adding optional equipment reduces the user payload.
The Mass in Running Order includes the weight of the caravan with the standard equipment.

ALLEGRA OPTIMA

	520	560	562
WEIGHT & DIMENSIONS			
Berths	4	4	4
Overall length (m)	7,20	7,80	7,80
External body length (m)	5,98	6,58	6,58
Internal length (m)	5,20	5,80	5,80
Overall height (m) / Internal height (m)	2,58/1,95	2,58/1,95	2,58/1,95
Overall width (m)	2,30	2,30	2,30
Internal width (m)	2,15	2,15	2,15
Empty weight (m)	1440	1520	1520
Mass in running order (kg) +/-5%	1457	1537	1537
Max authorized weight (kg)	1800	1900	1900
Administrative payload increase (kg)	1700	1800	1800
Awning length (m) +/-5%	9,87	10,47	10,47
Spare wheel dimensions	195R14C	195R14C	195R14C
CHASSIS			
ATC (5 kg)	O	O	O
Opening windows	7	7	7
Air-conditioning (30 kg)	O	O	O
EQUIPMENT			
Carpet (7 kg)	O	O	O
BEDROOM			
Dimensions front bed (cm)	130/150 x 210	140/150x210	140/150x210
Dimensions rear bed (cm)	140x200	150x200	85x200 & 85x210
Beadspread	-	-	S
ELECTRICAL INSTALLATION			
Sockets 230V	S 6	S 6	S 6
USB sockets	S 2	S 2	S 2
Electrical floor heating (5 kg)	O	O	O

S: Standard / O: Optional / - Not available / P: Pack

EQUIPMENT SERIE

CHASSIS

- Shock-absorbers
- AKS 3004
- Heavy duty corner steadies
- Alu wheels
- Awning light
- 3rd brake light
- Steel spare wheel
- Drawbar cover
- Luggage door (100x40cm)
- Leisure Air-conditioning preparation
- Electric doorstep
- XL Entrance door (Hartal 61 cm)
- GRP Roof, Sides & Under-floor
- Exclusive IRP Technology
- Bike stand preparation rear

EQUIPMENT

- Combi 6E boiler (10L) and heater
- Blown air 12V integrated in Combi 6E
- Combined blinds & fly nets
- Mosquito-net entrance door
- Skylight 700°500
- Skylight Heiki 2
- Skyview window
- TV-preparation (socket and cable)
- SAT- preparation
- Solar panel preparation
- TV Brackett
- TV socket in awning
- LED lightning
- Smoke detector

KITCHEN

- Stainless steel sink & 3 burners
- Exterior gas socket
- Extractor hood
- Gas oven
- Fridge 140L slim tower
- Fresh water tank 50L
- Waste water tank 30L (wheeled)
- Spice rack
- LED lightning

BATHROOM

- Thetford electric cassette toilet
- Exterior water socket
- Separated shower

BEDROOM

- Slatted bed bases and adjustable head part
- Bed gas strut
- Comfort mattresses (17 cm)
- LED lightning

ELECTRICAL INSTALLATION

- Transformer/charger module 230V/12V including ground fault circuit breaker
- Electronic control panel «Lux» with Truma I-Net
- Truma I-Box for smartphone
- Leisure battery preparation

	490	492	496	520
WEIGHTS & DIMENSIONS				
Berths	4	4	6	4
Overall length (m)	6,75	6,75	6,95	6,95
External body length (m)	5,62	5,62	5,82	5,82
Internal length (m)	5,00	5,00	5,20	5,20
Overall height (m) / Internal height (m)	2,58/1,95	2,58/1,95	2,58/1,95	2,58/1,95
Overall width (m)	2,30	2,30	2,30	2,30
Internal width (m)	2,15	2,15	2,15	2,15
Empty weight (m)	1110	1170	1180	1150
Mass in running order (kg) +/-5 %	1127	1187	1197	1167
Max authorized weight (kg)	1500	1500	1500	1500
Administrative payload increase (kg)	1400	1400	1400	1400
Technical payload increase (kg)	1700	1700	1700	1700
Awning length (m) +/-5%	9,74	9,74	9,94	9,94
Spare wheel dimensions	175R14C	175R14C	175R14C	175R14C
CHASSIS				
ATC (5 kg)	O	O	O	O
Alu wheels and steel spare wheel (16 kg)	O	O	O	O
Opening windows	7	8	7	6
Front window (3 kg)	O	S	S	O
Steel spare wheel (16 kg)	O	O	O	O
Drawbar cover (2 kg)	O	O	O	O
Bicycle storage	-	-	S (105 x 105)	-
Air-conditioning	O	O	O	O
Bike stand preparation rear	S	S	-	S

	490	492	496	520
EQUIPMENT				
ULTRA HEAT (4 kg)	O	O	O	O
Boiler Trumatherme 5L/230V	S	S	-	S
Boiler Trumatherme 14L/230V	-	-	S	S
Boiler Trumatherme 10L/230V/Gas (11 kg)	-	-	O	O
Skylight Heiki 2 (2 kg)	O	O	-	O
Storage pockets	-	-	S 4	S 2
Carpet (7 kg)	O	O	O	O
Kit Comfort (5 kg)	O	O	-	O
BATHROOM				
Shower curtain (2 kg)	O	O	-	-
Flexible handshower	S	S	-	S
Shower column, folding door and polyester walls	-	-	S	S
BEDROOM				
Dimensions front bed (cm)	150x200	(85x195) and (85x200) or 195x210	140x205	140/135x200
Dimensions centre bed (cm)	-	-	180x130	-
Dimensions rear bed (cm)	110/120x210	130/120x210	(75x190)x2	160/130x210
ELECTRICAL INSTALLATION				
Sockets 230V	S 4	S 4	S 6	S 4
Electrical floor heating (5 kg)	O	O	O	O

EQUIPMENT SERIE

- CHASSIS**
- Shock-absorbers
 - AKS 3004
 - Longer corner steadies
 - Heavy duty corner steadies
 - Wheel trims
 - Awning light
 - 3rd brake light
 - Luggage door (100x40cm)
 - Leisure Air-conditioning preparation
 - Factory fitted Air-conditioning
 - GRP Roof, Sides & Under-floor
 - Exclusive IRP Technology

- EQUIPMENT**
- TRUMATIC 3004 Gas heater
 - Blown air Trumavent 12V
 - ULTRA HEAT
 - Smoke detector
 - Combined blinds & fly nets
 - Mosquito-net entrance door
 - Entrance door with window
 - Skylight 700*500
 - TV-preparation (socket and cable)
 - TV Brackett
 - Illuminated mirror
 - LED Lightning

- KITCHEN**
- Stainless steel sink & 3 burners
 - Compressor fridge XL Freeze 150L
 - Fresh water tank 50L
 - Waste water tank 30L (wheeled)
 - Spice rack
 - LED lightning

- BATHROOM**
- Thetford electric cassette toilet
 - Shower tray

- BEDROOM**
- Bed gas strut
 - Comfort mattress (15 cm) in parents bed
 - LED lights and 2 spotlights with USB

- ELECTRICAL INSTALLATION**
- Transformer/charger module 230V/12V including ground fault circuit breaker
 - Electronic control panel «Lux»
 - USB sockets
 - Leisure battery preparation
 - Electrical floor heating

PACK CAMPER (39 Kg)

- Air-conditioning
- ULTRA HEAT
- Electrical floor heating

ANTARÈS STYLE

	400	410	450	470	476 FAMILY	486 FAMILY
WEIGHTS & DIMENSIONS						
Berths	4	4	4	4	6	6
Overall length (m)	5,90	5,90	6,40	6,70	6,40	6,70
External body length (m)	4,82	4,83	5,32	5,62	5,32	5,62
Internal length (m)	4,20	4,20	4,70	5,00	4,70	5,00
Overall height (m) / Internal height (m)	2,58 /1,95	2,58 /1,95	2,58/1,95	2,58/1,95	2,58/1,95	2,58/1,95
Overall width (m)	2,10	2,30	2,30	2,30	2,30	2,30
Internal width (m)	1,95	2,15	2,15	2,15	2,15	2,15
Empty weight (m)	870	890	960	1010	1040	1080
Mass in running order (kg) +/-5%	897	917	991	1058	1071	1113
Max authorized weight (kg)	1200	1300	1300	1300	1300	1500
Administrative payload increase (kg)	1300	1200	1500	1500	1500	1400
Awning length (m) +/-5%	8,94	8,94	9,44	9,74	9,44	9,74
Spare wheel dimensions	175R14C	174R14C	175R14C	175R14C	175R14C	175R14C
CHASSIS						
ATC (5 kg)	O	O	O	O	O	O
Heavy duty corner steadies (6 kg)	O	O	O	O	O	O
Alu wheels and steel spare wheel (16 kg)	O	O	O	O	O	O
Opening windows	4	5	5	6	6	6
Front window (3 kg)	S	S	O	O	S	S
Steel spare wheel (16 kg)	O	O	O	O	O	O
Bicycle storage	-	-	-	-	S (105x65)	S (105x65)
Factory fitted Air-conditioning	O	O	O	O	O	O

	400	410	450	470	476 FAMILY	486 FAMILY
EQUIPMENT						
Blown air Trumavent 12V (4 kg)	O	O	O	O	O	O
ULTRA HEAT (4 kg)	O	O	O	O	O	O
Boiler Trumat 10L Gas/electric (11 kg)*	-	O	-	-	O	-
Mosquito-net entrance door (3 kg)	O	O	O	O	O	O
Storage pockets	S 1	-	-	-	S 2	S 1
KITCHEN						
85L fridge (Gas/12V/230V)	S	S	S	S	S	-
Compressor fridge XL Freeze 150L (17 kg)	-	-	-	S	O	S
Compressor fridge 140L (8 kg)	O	O	-	-	-	-
Shelf for spices	S	S	-	S	S	S
BATHROOM						
Shower column, curtain & flexible handshower (7 kg)	-	O	-	-	O	-
BEDROOM						
Dimensions front bed (cm)	140x195	200x140	(85x195) and (85x200) or 195x210	150x200	140x200	140x210
Dimensions centre bed (cm)	100x170	-	-	-	110x185	130x170
Dimensions rear bed (cm)	-	185x110	100x210	120/110 x210	75 x 215 (x2)	(75x210)x2
ELECTRICAL INSTALLATION						
Sockets 230V	S 3	S 4	S 4	S 4	S 5	S 5
Leisure battery preparation (2 kg)	O	O	O	S	O	O
Electrical floor heating (5 kg)	O	O	O	O	O	-

* not possible with Luggage door

EQUIPMENT SERIE

- CHASSIS**
- Longer corner steadies
 - Wheel trims
 - Awning light
 - 3rd brake light
 - ABS rear bumper with integreated rear lights
 - ABS gas locker
 - Spare-wheel fixation in gas trunk
 - Exclusive IRP Technology
 - Leisure Air-conditioning preparation

- EQUIPMENT**
- TRUMATIC 3004 Gas heater
 - Combined blinds & fly nets
 - TV-preparation (socket and cable)
 - Storage under cupboards

- KITCHEN**
- Stainless steel sink & 3 burners
 - Fresh water tank 50L
 - LED lightning

- BATHROOM**
- Thetford electric cassette toilet
 - Shower tray

- BEDROOM**
- Bed gas strut

- ELECTRICAL INSTALLATION**
- Transformer/charger module 230V/12V including ground fault circuit breaker

PACK SPORTING (19 Kg)

- Alu wheels and steel spare wheel
- Mosquito-net entrance door

PACK CAMPER (39 Kg)

- Air-conditioning
- ULTRA HEAT
- Electrical floor heating

ALL-INCLUSIVE PACK STYLE

- Shock-absorbers
- AKS 3004
- Luggage door (100x40cm)
- GRP Roof, Sides & Under-floor
- Boiler Trumatherme 5L/230V
- Skylight 700*500
- Cushions Comfort «plus»
- LED spotlights for reading with USB
- Waste water tank 30L (wheeled)
- Flexible handshower
- Comfort mattress (15 cm) in parents bed
- Electric control panel

	350	390	400	426 F	460	466 F	472	486 F	496 F
WEIGHTS & DIMENSIONS									
Berths	2	3	4	5	3	6	3	6	6
Overall Length (m)	5,20	5,70	5,90	6,20	6,70	6,40	6,40	6,70	6,70
External body length (m)	4,10	4,60	4,80	5,10	5,60	5,30	5,30	5,60	5,60
Internal length (m)	3,50	4,00	4,20	4,50	5,00	4,70	4,70	5,00	5,00
Overall height (m)	2,58 /1,95	2,58 /1,95	2,58 /1,95	2,58 /1,95	2,58 /1,95	2,58 /1,95	2,58 /1,95	2,58 /1,95	2,58 /1,95
Overall width (m)	2,10	2,10	2,10	2,30	2,10	2,30	2,10	2,30	2,30
Internal width (m)	1,95	1,95	1,95	2,15	1,95	2,15	1,95	2,15	2,15
Empty weight (kg)	720	730	770	890	890	920	900	975	970
Mass in running order (kg) +/-5%	747	757	797	917	917	947	927	1002	997
Max authorised weight (kg)	900	1000	1000	1100	1100	1200	1200	1300	1300
Administrative payload increase (kg)	850/1000	900	900	1300	1300	1100/1300	1100/1300	1200	1200
Technical payload increase (kg)	N/A	1300	1300	N/A	N/A	N/A	N/A	1500	1500
Awning Length (m) +/- 5%	7,97	8,47	8,67	8,97	9,47	9,17	9,17	9,47	9,47
Spare wheel dimensions	185/70 R14	185/70 R14	185/70 R14	175R14C	175R14C	175R14C	175R14C	175R14C	175R14C
CHASSIS									
Shock-absorbers (3 kg)	P	P	P	P	P	P	P	P	P
AKS 3004 (3 kg)	P	P	P	P	P	P	P	P	P
Steel spare wheel (16 kg)	O	O	O	O	O	O	O	O	O
Spare-wheel fixation in gas trunk (2 kg)	P	P	P	P	P	P	P	P	P
Alloy wheels (16 kg)	O	O	O	O	O	O	O	O	O
Luggage door (75x30 cm) (2 kg)	P	P	P	P	P	P	P	P	P
Bicycle storage	-	-	-	S (105x65)	-	S (105x65)	-	S (105x65)	S (105x105)
Opening windows	3	3	3	5	4	5	4	5	6
Front window (3 kg)	O	O	O	O	O	O	O	O	O

	350	390	400	426 F	460	466 F	472	486 F	496 F
EQUIPMENT									
Skylight 70x50 (cm) (2 kg)	O	O	O	O	O	O	O	O	O
Boiler Trumatherme 5L/230V (4 kg)	O	O	O	O	O	O	O	O	O
CARAHEAT (2 kg)	O	O	O	O	-	-	-	-	-
Blown air Trumavent 12V (4 kg)	-	-	-	-	O	O	O	O	O
Mosquito-net entrance door (3 kg)	O	O	O	O	O	O	O	O	O
Air-conditioning (30 kg)	O	O	O	O	O	O	O	O	O
Upholstery Saigon & Comfort matrass 15cm (8 kg)	O	O	O	O	O	O	O	O	O
LED spotlights for reading with USB (1 kg)	O	O	O	O	O	O	O	O	O
KITCHEN									
85L fridge (Gas/12V/230V)	S	S	S	S	S	S	S	-	-
Compressor refrigerator XL Freeze 150L (17 kg)	-	-	-	O	-	O	-	S	S
Waste water tank 30L (wheeled) (3 kg)	O	O	O	O	O	O	O	O	O
Fresh water tank 50L (3 kg)	-	-	-	-	-	-	-	-	O
BATHROOM									
Shower curtain (2 kg)	-	-	-	-	-	-	-	-	P
Flexible handshower (2 kg)	O	O	O	O	O	O	O	O	P
Curtain & shower column (3 kg)	-	-	-	-	-	-	-	-	P
Thetford cassette toilet	S (Electr.)	S (Electr.)	S (Electr.)	S (Manuel)	S (Electr.)	S (Manuel)	S (Electr.)	S (Electr.)	S (Electr.)
BEDROOM									
Dimensions front bed (cm)	140x195	140x195	140x195	140x210	140x195	140x210	70/95 x195/205	140x210	140x210
Dimensions centre bed (cm)	65\55 x190	-	100x170	110\95 x170	-	110x170	-	100 x 170	100x170
Dimensions rear bed (cm)	-	125/90 x190	-	(77\60 x210)x2	125/90 x190	(75x210) x2	125/90 x190	(75x210) x2	(85x185) x2
ELECTRICAL INSTALLATION									
Leisure Battery preparation (2 kg)	O	O	O	O	O	O	O	O	O
Sockets 230V	S2	S2	S2	S 2	S3	S3	S3	S3	S3

EQUIPMENT SERIE

- CHASSIS
- CRP Roof, Front, Back & Under-floor
 - Exclusive XPS insulation
 - Awning light

- EQUIPMENT
- TRUMATIC 3004 Gas heater
 - Combined blinds & fly nets
 - Leisure Air-conditioning preparation
 - LED lights in ceiling

- KITCHEN
- Stainless steel sink & 3 burners
 - Fresh water tank 25L (wheeled)
 - LED lights

- BATHROOM
- Shower tray

- BEDROOM
- Comfort mattress (12cm)

- ELECTRICAL INSTALLATION
- Transformer / charger module 230V/12V including ground fault circuit breaker
 - TV-preparation (socket and cable)

PACK TRAVEL (10 Kg)

- Shock-absorbers
- AKS 3004
- Spare-wheel fixation in gas trunk
- Luggage door (75x30cm)

PACK AMBITION (15 Kg)

- Skylight 70x50 (cm)
- Boiler Trumatherme 5L/230V
- Mosquito-net entrance door
- LED spotlights for reading with USB
- Waste water tank 30L (wheeled)
- Flexible handshower

Heading *for space*...



by **TRIGANO**

TRIGANO VDL - CUSTOMER SERVICE CENTER 130 route de Lamastre - 07300 Tournon-sur-Rhône - France
www.caravelair-caravans.com